



**EN** LIGHT MADE FOR  
PERFORMANCE

**UEBEX**  
LED LIGHTING



# SPORT IN THE SPOTLIGHT







UEBEX  
LED LIGHTING

## **WATER.**

Due to a protection rating of up to IP66, UEBEX sport and industrial luminaires are well protected against challenging outdoor conditions.

**Whether hail, snow or rain** - the durability and efficiency of our luminaires is convincing, thanks to the robust aluminum housing and the exclusive use of high-quality materials.

## **WIND.**

The optimized and well thought-out design ensures even on high masts and ropeway columns for minimal surfaces exposed to the wind. The forces acting on the luminaire and structure are thus kept as low as possible.



summer




winter






# Floodlight ATUR2

Material	aluminium, grey RAL7040
Power	200W, 400W, 600W, 800W
Luminous Flux	up to 134lm/W
Colour Temperature	3000K, 4000K
Colour Rendering Index CRI	>80
Protection class	IP66, IK08





## FOR EVERY TASK

High performance floodlight made of die-cast aluminium to the highest industry standard. Designed for major outdoor tasks. Extremely robust and resistant housing for the toughest environmental conditions. Individually swivelling light units allow for an extension of the light distribution. Highly efficient and long-life LEDs with uniform light distribution and high luminous flux packages. Integrated, replaceable ballast with temperature monitoring. Swivelling mounting bracket suitable for suspended and vertical mounting.



# Floodlight ATUR2 PRO

Material	aluminium, grey RAL9006
Power	750W, 1250W, 1500W, 1800W
Luminous Flux	up to 145lm/W
Colour Temperature	3000K, 4000K, 5700K
Colour Rendering Index CRI	>80
Protection class	IP66, IK08




## IF IT HAST TO BE MORE

High performance floodlight optimised for the illumination of sports facilities and large outdoor areas. Manufactured from die-cast aluminium to the highest industry standard. Extremely robust and resistant housing for the toughest environmental conditions. Separate external ballast unit, suitable for pole or direct mounting. Highly efficient and long-life LEDs with uniform light distribution and high luminous flux packages. Stable swivelling mounting bracket suitable for suspended and vertical mounting. Easy handling thanks to well thought-out mounting options.



## High-bay luminaire **HB3**



Material	Aluminium, grau
Power	120W, 200W
Luminous Flux	bis zu 160lm/W
Colour Temperature	4000K
Colour Rendering Index CRI	>80
Protection class	IP65, IK09



### **LIGHT FOR EVERY HALL** SPORT - INDUSTRY - WAREHOUSE - PRESENTATION

High-performance high-bay luminaire with enormous efficiency and perfected light distribution. Precise light control and high glare reduction by special MLL optics (Multiple LED Lens). Robust, rotationally symmetric housing, powder-coated with high functionality. Innovative smooth design with optimised passive thermal management and intelligently directed airflow. Minimal dust accumulation and enormously long service life. Great flexibility during installation and optimised maintenance.



## **ENVIRONMENT.**

**Whether in cold or heat -** UEBEX luminaires convince with excellent thermal management. The integrated cooling fin structure efficiently dissipates heat. HB3 also uses the Coandă effect to cool itself and to avoid dust deposits.











**LIGHT MADE FOR  
PERFORMANCE**

COMPETENCE CENTER  
UEBEX GmbH  
Kreuzstraße 32  
4860 Lenzing

HEAD OFFICE  
Obachgasse 16 - 18  
1220 Wien

T: +43 1 256 20 39  
E: [office@uebex.at](mailto:office@uebex.at)

[uebex.com](http://uebex.com)